# 11. Sliding system for glass doors



Glass

## SINGLE equipment for the MONACO sliding system

### NTMON00W1



| Product code | |
|---|---|
| NTMON00W1 | Equipment for one single sliding door set . |
| **Equipment for one set** | **quantity** |
| sliding trolley | 2pcs |
| Pneumatic self-closing mechanism | 2pcs |
| Trolley end-stopper | 2pcs |
| Floor guides | 1pcs |
| **technical specifications** | |
| Maximal door weight | 80kg |
| Minimal door width | 700mm |
| Glass thickness | 8-10mm |
| Not needed holes in glass | |
| Adjustment of the closing force depending on the weight of the door | 40-80kg |
| Pneumatic soft close of each side | |

## DOUBLE equipment for the MONACO sliding system

### NTMON00W2



| Product code | |
|---|---|
| NTMON00W2 | Equipment for one double sliding door set |
| **Equipment for one set** | **quantity** |
| sliding trolley | 4pcs |
| Pneumatic self-closing mechanism | 4pcs |
| Trolley end-stopper | 2pcs |
| Floor guides | 2pcs |
| **technical specifications** | |
| Maximal door weight | 80kg |
| Minimal door width | 700mm |
| Glass thickness | 8-10mm |
| Not needed holes in glass | |
| Adjustment of the closing force depending on the weight of the door | 40-80kg |
| Pneumatic soft close of each side | |

## SINGLE equipment for the MONACO for door 150kg

### NTMON00W1-150




| Product code | |
|---|---|
| NTMON00W1-150 | Equipment for one door set . |

| Equipment for one set | quantity |
|---|---|
| Sliding trolley | 2pcs |
| Pneumatic self-closing mechanism | 2pcs |
| Trolley end-stopper | 2pcs |
| Floor guides | 1pcs |
| technical specifications | |
| Maximal door weight | 150kg |
| Minimal door width | 1100mm |
| Glass thickness | 8-10mm |
| Not needed holes in glass | |
| Adjustment of the closing force depending on the weight of the door | 120-150kg |
| Pneumatic soft close of each side | |
| Adjustable glass thickness of floor guide | 8-10mm |

## SYNCHRONIC equipment for the MONACO sliding system

### NTMON-SYNCH-W2





| Product code | |
|---|---|
| NTMON-SYNCH-W2 | accesories for double synchro doors |
| **Equipment for one set** | **quantity** |
| sliding trolley | 4pcs |
| Steel line | 8 lm |
| Roller | 2pcs |
| Line bracket | 2pcs |
| Trolley end-stopper | 4pcs |
| Floor guides | 2pcs |
| **technical specifications** | |
| Maximal door weight | 80kg |
| Minimal door width | 700mm |
| Glass thickness | 8-10mm |
| Not needed holes in glass | |
| Adjustment of the closing force depending on the weight of the door. | 40-80kg |
| Pneumatic soft close of each side | |
| Adjustable glass thickness of floor guide | 8-10mm |







## Profile for the system MONACO




sliding profile




profile cover




end cap





| Product code | Length | Finish |
|---|---|---|
| NTMON2200NA | 2200mm | silver anode |
| NTMON2200SS | 2200mm | anode INOX |
| NTMON2200B | 2200mm | black anode |
| NTMON3000NA | 3000mm | silver anode |
| NTMON3000SS | 3000mm | anode INOX |
| NTMON3000B | 3000mm | black anode |
| NTMON4000NA | 4000mm | silver anode |
| NTMON4000SS | 4000mm | anode INOX |
| NTMON4000B | 4000mm | black anode |
| NTMON6000NA | 6000mm | silver anode |
| NTMON6000SS | 6000mm | anode INOX |
| NTMON6000B | 6000mm | black anode |
| Properties | | |
| Material | | aluminium |

Set consist main profile, cover and 2pcs of end caps

## Profil for fixed glass pane for the sliding system

### NTMON1300







| Product code | Length | Finish |
|---|---|---|
| NTMON1300NA | 1300mm | silver anode |
| NTMON13000SS | 1300mm | anode INOX |
| NTMON1300B | 1300mm | black anode |
| Properties | | |
| Material | | aluminium |

Include seals for 8mm and 10mm glass.

## Botton profil for fixed glass pane for the sliding system

### NLO-KP-2961







| Product code | Glass | Length | Finish |
|---|---|---|---|
| NLO-KP-2961-1 | 8mm | 2500mm | anode INOX |
| NLO-KP-2961-2 | 8mm | 2500mm | silver anode |
| NLO-KP-2961-10-1 | 10mm | 2500mm | anode INOX |
| NLO-KP-2961-B | 8mm | 2500mm | black anode |
| NLO-KP-2961-3,0-B | 8mm | 3000mm | black anode |
| Properties | | | |
| Material | | | aluminium |


## MONACO system - mounting schema

### Mounting cross-section for wall and ceiling

*Mounting to the wall*





*Mounting to the ceiling*




## MONACO system - mounting schema

### Mounting cross-section for wall and ceiling with panel

*Mounting to the wall*





*Mounting to the ceiling*




## Mounting schema

### With MONACO SINGLE to the wall




## Mounting schema

### with MONACO SINGLE
### to the ceiling with panel




## Mounting schema

### With MONACO DOUBLE to the wall





## Mounting schema
### with MONACO SINGLE
### to the ceiling with panel




## Running roller


### NLO-DP2-203











| Product code | finish |
|---|---|
| NLO-DP2-203 | satin |
| Technical specifications | |
| Maximal door weight for two rollers | 80kg |
| Glass thickness | 8-10mm |
| Material | stainless steel |

## End cap for running pipe

### NLO-DP3-220











| Product code | finish |
|---|---|
| NLO-DP3-220 | satin |
| **Technical specifications** | |
| Material | stainless steel |

## Mounting of the pipe to the wall

### NLO-DP2-205








| Product code | finish |
|---|---|
| NLO-DP2-205 | satin |
| **Technical specifications** | |
| Material | stainless steel |

## Mounting of the pipe to the glass


### NLO-DP2-206











| Product code | finish |
|---|---|
| NLO-DP2-206 | satin |
| **Technical specifications** | |
| Material | stainless steel |





## Mounting of the pipe to the glass

### NLO-DP-207











| Product code | finish |
|---|---|
| NLO-DP2-207 | satin |
| **Technical specifications** | |
| Material | stainless steel |

## End stopper

### NLO-DP-215-R











| Product code | type |
|---|---|
| NLO-DP2-215R-1 | right |
| properties | |
| Finish | satin |
| Material | stainless steel |

## End stopper

### NLO-DP-215L








| Product code | type |
|---|---|
| NLO-DP2-215L-1 | left |
| properties | |
| Finish | satin |


## End stopper

### NLO-DP-216














| Product code | finish |
|---|---|
| NLO-DP2-216 | satin |
| **Technical specifications** | |
| Material | stainless steel |

## Floor guide

### NLO-DP3-LS-220







| Product code | finish |
|---|---|
| NLO-DP3-LS-220 | satin |
| **Technical specifications** | |
| Glass thickness | 8-12mm |
| Material | stainless steel |


## Pipe sliding system

### With NLO-DP2-203 running rollers

### Mounting on the wall





### Mounting on the panel




## Mouting to the wall

### Single door




## Mouting to the panel

### Single door




## Mouting to the wall

### Double door



## Mouting to the panel

### Double door



# 2021 PRODUCT CATALOG

**Glas-beslag**

Langgade 13,
8800 Viborg
CVR. 38692836

+45 20 97 12 13
kontor@glas-beslag.dk

www.glas-beslag.dk

GLAS-BESLAG.DK